

**FORM TP 2016283**



TEST CODE **02234032**

MAY/JUNE 2016

**CARIBBEAN EXAMINATIONS COUNCIL**

**CARIBBEAN ADVANCED PROFICIENCY EXAMINATION®**

**PURE MATHEMATICS**

**UNIT 2 – Paper 032**

**ANALYSIS, MATRICES AND COMPLEX NUMBERS**

*1 hour 30 minutes*

**READ THE FOLLOWING INSTRUCTIONS CAREFULLY.**

1. This examination paper consists of **THREE** sections.
2. Each section consists of **ONE** question.
3. Answer **ALL** questions.
4. Write your answers in the spaces provided in this booklet.
5. Do **NOT** write in the margins.
6. Unless otherwise stated in the question, any numerical answer that is not exact **MUST** be written correct to three significant figures.
7. If you need to rewrite any answer and there is not enough space to do so on the original page, you must use the extra lined page(s) provided at the back of this booklet. **Remember to draw a line through your original answer.**
8. **If you use the extra page(s) you MUST write the question number clearly in the box provided at the top of the extra page(s) and, where relevant, include the question part beside the answer.**

**Examination Materials Permitted**

Mathematical formulae and tables (provided) – **Revised 2012**

Mathematical instruments

Silent, non-programmable, electronic calculator

**DO NOT TURN THIS PAGE UNTIL YOU ARE TOLD TO DO SO.**

---

Copyright © 2015 Caribbean Examinations Council

All rights reserved.

02234032/CAPE 2016

“\*”Barcode Area”\*

Sequential Bar Code

**SECTION A**

**Module 1**

**Answer this question.**

1. (a) Find the equations of the tangents to the curve  $y = \frac{(x-1)}{(x+1)}$  that are parallel to the line  $x - 2y = 1$ .

**[8 marks]**

GO ON TO THE NEXT PAGE

- (b) (i) Show that

$$\int x^n \sin x \, dx = -x^n \cos x + n \int x^{n-1} \cos x \, dx.$$

**[3 marks]**

GO ON TO THE NEXT PAGE

DO NOT WRITE IN THIS AREA

(ii) Hence, or otherwise, given that

$$\int x^n \cos x \, dx = x^n \sin x - n \int x^{n-1} \sin x \, dx,$$

calculate  $\int_0^{\frac{\pi}{2}} x^3 \sin x \, dx$ .

[5 marks]

GO ON TO THE NEXT PAGE

- (c) Find the derivative of

$$x^2 \tan^{-1} e^{2x} + \ln x^2$$

with respect to  $x$  for the domain  $x > 0$ .

[4 marks]

**Total 20 marks**

GO ON TO THE NEXT PAGE

DO NOT WRITE IN THIS AREA

**SECTION B**

**Module 2**

**Answer this question.**

2. (a) Find

$$\sum_{n=1}^{\infty} \left( \sin\left(\frac{1}{n}\right) - \sin\left(\frac{1}{n+1}\right) \right)$$

**[6 marks]**

GO ON TO THE NEXT PAGE

DO NOT WRITE IN THIS AREA

- (b) (i) Express the number  $0.\overline{15} = 0.1515151515\dots$  as a geometric series with the first term  $a = \frac{15}{100}$ .

[4 marks]

- (ii) Hence, express  $0.\overline{15}$  as a ratio of integers.

[2 marks]

GO ON TO THE NEXT PAGE

DO NOT WRITE IN THIS AREA

- (c) (i) Show that the equation

$$f(x) = e^x \sin x - 2x$$

has a root in the interval  $0.5 \leq x \leq 1$ .

[3 marks]

DO NOT WRITE IN THIS AREA



- (ii) Use linear interpolation to approximate the root of  $f$  in the interval  $0.5 \leq x \leq 1$ , correct to 1 decimal place.

**[5 marks]**

**Total 20 marks**

GO ON TO THE NEXT PAGE

DO NOT WRITE IN THIS AREA

**SECTION C**

**Module 3**

**Answer this question.**

3. (a) A farmer has 300 acres of land on which THREE crops,  $x$ ,  $y$  and  $z$  are to be cultivated. The costs of cultivating  $x$ ,  $y$  and  $z$  are, respectively, \$30, \$40 and \$50 per acre and the farmer has a total of \$11000 to spend on cultivation.

For each acre of crop  $x$ ,  $y$  and  $z$ , 10, 15 and 40 labour hours, respectively, are required. A maximum of 6000 labour hours are available.

- (i) Represent the information given with a system of linear equations.

**[3 marks]**

GO ON TO THE NEXT PAGE

- (ii) By converting the equations into matrix form, determine how many acres per crop the farmer may cultivate.

DO NOT WRITE IN THIS AREA

GO ON TO THE NEXT PAGE

“\*”Barcode Area”  
Sequential Bar Code

DO NOT WRITE IN THIS AREA

[8 marks]

GO ON TO THE NEXT PAGE

“\*”Barcode Area”  
Sequential Bar Code

- (b) The vibration of a spring with a mass of 4 kg attached is described by the differential equation

$$4 \frac{d^2x}{dt^2} + 400x = 0,$$

where  $x$  metres is the displacement of the mass at time  $t$  seconds.

The initial displacement of the mass is 0.25 m and the initial velocity is 0 (i.e.  $x'(0) = 0$ ). Determine an expression for the displacement,  $x$  metres, of the mass at time  $t$  seconds.

[9 marks]

**Total 20 marks**

**END OF TEST**

**IF YOU FINISH BEFORE TIME IS CALLED, CHECK YOUR WORK ON THIS TEST.**